




HEMB-BLACK-LEVI SA A 1 (LOCATION)

STATE PLANE COORDINATES - TEXAS SOUTH CENTRAL ZONE - NAD 1927:

PROPOSED SURFACE HOLE LOCATION (PSHL)

N: 365135 E: 2360491

GEOGRAPHIC NAD 27: Lat.: 28° 49' 58.08" Long.: 97° 52' 26.55"

GEOGRAPHIC NAD 83: Lat.: 28° 49' 59.01" Long.: 97° 52' 27.55"

ELEVATION: 322'

UNIT: N/A

SURVEY: 1,329'± FNEL & 2,002'± FSEL

Vertical Target/Penetration Point (VT/PP)

N: 364018 E: 2358961

UNIT: 257' FNWL & 980' FNEL

SURVEY: 2,346'± FSEL & 3,190'± FNEL

First Take Point (FTP)

N: 364018 E: 2358961

UNIT: 257' FNWL & 980' FNEL

Last Take Point/PROPOSED BOTTOM HOLE LOCATION (LTP/PBHL)

N: 354396 E: 2372123

UNIT: 178' FNEL & 2,732' FSWL CORNER

SURVEY: 13,274'± FNWL & 19,505'± FEL

Path Information

(PSHL)

S 53°52' W ~ 1,895'

(VT/PP/FTP)

S 46°14' E ~ 6,269'

S 41°43' E ~ 461'

S 37°06' E ~ 781'

S 49°01' E ~ 1,184'

S 60°57' E ~ 3,567'

S 64°48' E ~ 4,249'

(LTP/PBHL)

MARATHON OIL EF, LLC

HEMBY UNIT A ~ 322.18 ACRES; BLACKJACK UNIT E ~ 403.49 ACRES AND LEVI-PULLIN UNIT ~ 664.77 ACRES

I. TICKNOR, ABSTRACT 278; A.J. BURRIS, ABSTRACT 42 AND C. MARTINEZ, ABSTRACT 6
KARNES COUNTY, TEXAS

FIELD DATE	BOOK	PAGE(s)	Revision	Date	DRAWN BY:
10-27-25	SA-217	19	1	02-06-26	R.A.R./B.P.S.
11-06-25	SA-216	42	2	02-13-26	CHECKED BY: J.S.
			3	02-27-26	JOB No. 27079.1-25
SHEET 1 OF 3					QUAD NAME: KENEDY

HOWLAND
ENGINEERING AND SURVEYING CO.

TBPE Firm Registration No. F-4097 TBPLS Firm Registration No. 100464-00 TBPLS Firm Registration No. 10194361
7615 N. Bartlett Avenue, Laredo, TX. 78041 P. 856.722.4411
4902 Sinclair Road, San Antonio, TX. 78222 P. 210.648.1600
www.howlandcompanies.com

WARNING: THIS PLAT MAY NOT SHOW ALL CROSSINGS OF PIPELINES OR CABLES. USE THE TEXAS ONE CALL SYSTEM BEFORE EXCAVATION ON THIS PROPERTY.

This Plat represents a WELL LOCATION survey prepared from an on the ground survey, deeds and other available information. This is not intended to be a boundary survey, but for the sole purpose of filing with the Texas Railroad Commission for a drilling permit. This plat is for the exclusive use of MARATHON OIL EF, LLC

Janet Ouellet
R.P.L.S. No. 5726 -TEXAS

03-02-2026

CURRENT DATE:

BLACKJACK UNIT E ~ ACREAGE TABLE

ACREAGE INFORMATION		ACREAGE INFORMATION		ACREAGE INFORMATION		ACREAGE INFORMATION		ACREAGE INFORMATION		ACREAGE INFORMATION		ACREAGE INFORMATION	
TRACT No.	ACRES	TRACT No.	ACRES	TRACT No.	ACRES	TRACT No.	ACRES	TRACT No.	ACRES	TRACT No.	ACRES	TRACT No.	ACRES
①	0.30	⑤6	0.31	①①	0.41	①66	4.58	②21	0.08	②76	0.41	⑤31	0.04
②	0.27	⑤7	0.43	①12	0.41	①67	0.85	②22	0.22	②77	0.22	⑤32	0.17
③	0.52	⑤8	0.95	①13	0.41	①68	1.03	②23	0.22	②78	0.27	⑤33	0.49
④	0.21	⑤9	0.21	①14	0.54	①69	1.75	②24	19.50	②79	0.51	⑤34	0.37
⑤	0.49	⑥0	0.33	①15	0.53	①70	1.63	②25	0.22	②80	0.21	⑤35	0.31
⑥	0.21	⑥1	0.33	①16	0.41	①71	0.24	②26	12.63	②81	0.10	⑤36	0.31
⑦	0.46	⑥2	0.41	①17	0.41	①72	1.00	②27	0.34	②82	0.31	⑤37	0.05
⑧	0.26	⑥3	0.32	①18	0.41	①73	2.95	②28	0.56	②83	0.58	⑤38	0.22
⑨	0.31	⑥4	0.37	①19	0.54	①74	2.13	②29	3.11	②84	0.31	⑤39	0.27
⑩	0.46	⑥5	0.46	①20	0.54	①75	0.35	②30	0.39	②85	0.22	⑤40	0.17
⑪	0.51	⑥6	0.34	①21	0.41	①76	0.22	②31	0.50	②86	0.78	⑤41	0.31
⑫	0.21	⑥7	0.33	①22	0.41	①77	1.58	②32	0.03	②87	0.31	⑤42	0.93
⑬	0.31	⑥8	0.46	①23	0.41	①78	0.34	②33	78.98	②88	0.14	⑤43	0.93
⑭	0.43	⑥9	1.73	①24	0.54	①79	0.37	②34	19.93	②89	0.63	⑤44	0.14
⑮	0.62	⑦0	0.53	①25	0.43	①80	0.33	②35	3.60	②90	0.31	⑤45	0.26
⑯	0.25	⑦1	0.41	①26	0.41	①81	0.23	②36	2.15	②91	0.15	⑤46	0.18
⑰	0.32	⑦2	0.54	①27	0.38	①82	0.95	②37	2.77	②92	1.07	⑤47	0.15
⑱	0.29	⑦3	0.60	①28	0.35	①83	0.96	②38	6.71	②93	0.34	⑤48	0.24
⑲	0.85	⑦4	0.54	①29	0.36	①84	2.88	②39	0.66	②94	0.19	⑤49	0.25
⑳	0.24	⑦5	0.41	①30	0.98	①85	0.20	②40	1.91	②95	0.64	⑤50	0.22
㉑	0.24	⑦6	0.54	①31	0.52	①86	1.91	②41	0.19	②96	0.44	⑤51	0.59
㉒	0.24	⑦7	0.74	①32	0.80	①87	0.99	②42	0.54	②97	0.29	⑤52	0.22
㉓	0.33	⑦8	0.74	①33	0.22	①88	0.39	②43	0.11	②98	0.01	⑤53	0.21
㉔	0.74	⑦9	0.54	①34	0.36	①89	0.39	②44	0.37	②99	0.57	⑤54	0.01
㉕	0.74	⑧0	0.95	①35	0.25	①90	1.33	②45	1.14	③00	0.35	⑤55	0.56
㉖	0.74	⑧1	0.74	①36	0.51	①91	0.39	②46	2.53	③01	0.31	⑤56	0.09
㉗	0.43	⑧2	0.74	①37	0.20	①92	0.45	②47	1.22	③02	0.27	⑤57	0.20
㉘	0.31	⑧3	0.58	①38	0.20	①93	2.35	②48	0.35	③03	0.29	⑤58	0.23
㉙	0.54	⑧4	2.43	①39	0.33	①94	0.65	②49	0.26	③04	0.45	⑤59	0.27
㉚	0.41	⑧5	0.54	①40	0.43	①95	0.48	②50	0.25	③05	0.29	TOTAL: 403.49 ACS.	
㉛	0.54	⑧6	0.41	①41	0.76	①96	0.35	②51	0.75	③06	0.29		
㉜	0.54	⑧7	0.53	①42	0.20	①97	0.33	②52	0.54	③07	0.29		
㉝	0.21	⑧8	0.74	①43	0.10	①98	1.51	②53	4.15	③08	0.50		
㉞	0.33	⑧9	0.74	①44	0.42	①99	2.55	②54	2.05	③09	0.28		
㉟	0.41	⑨0	0.54	①45	0.74	②00	0.37	②55	0.43	③10	1.04		
㊱	0.43	⑨1	0.41	①46	0.41	②01	1.74	②56	0.45	③11	18.54		
㊲	0.31	⑨2	0.40	①47	0.12	②02	0.19	②57	0.17	③12	0.15		
㊳	0.43	⑨3	0.14	①48	0.21	②03	1.44	②58	5.44	③13	0.18		
㊴	0.63	⑨4	0.74	①49	0.54	②04	0.52	②59	0.44	③14	0.52		
㊵	0.48	⑨5	0.74	①50	0.41	②05	4.67	②60	0.42	③15	0.31		
㊶	0.63	⑨6	0.54	①51	0.24	②06	0.32	②61	0.30	③16	2.29		
㊷	0.67	⑨7	0.42	①52	1.51	②07	0.24	②62	0.91	③17	0.01		
㊸	0.24	⑨8	0.55	①53	0.80	②08	0.43	②63	2.60	③18	0.22		
㊹	0.44	⑨9	0.55	①54	0.41	②09	1.90	②64	0.82	③19	0.22		
㊺	0.33	⑩0	0.64	①55	0.39	②10	0.36	②65	0.22	③20	0.22		
㊻	0.41	⑩1	0.41	①56	0.75	②11	0.21	②66	7.50	③21	0.17		
㊼	0.73	⑩2	0.41	①57	0.38	②12	0.63	②67	0.41	③22	0.21		
㊽	0.74	⑩3	0.41	①58	0.22	②13	1.12	②68	0.30	③23	0.16		
㊾	0.74	⑩4	0.41	①59	0.62	②14	0.24	②69	0.18	③24	0.63		
㊿	0.41	⑩5	0.41	①60	0.74	②15	0.44	②70	0.51	③25	0.58		
①	0.33	⑩6	0.57	①61	10.93	②16	1.13	②71	0.19	③26	0.18		
②	0.74	⑩7	0.06	①62	15.84	②17	0.31	②72	0.17	③27	0.53		
③	0.74	⑩8	0.36	①63	0.44	②18	1.29	②73	0.01	③28	0.14		
④	0.74	⑩9	0.35	①64	0.24	②19	0.02	②74	0.29	③29	0.21		
⑤	0.74	⑪0	0.53	①65	2.04	②20	0.03	②75	0.58	③30	0.41		

HEMB-BLACK-LEVI SA A 1 (LOCATION)

STATE PLANE COORDINATES – TEXAS SOUTH CENTRAL ZONE – NAD 1927:

PROPOSED SURFACE HOLE LOCATION (PSHL)

N: 365135 E: 2360491

GEOGRAPHIC NAD 27: Lat.: 28° 49’ 58.08” Long.: 97° 52’ 26.55”

GEOGRAPHIC NAD 83: Lat.: 28° 49’ 59.01” Long.: 97° 52’ 27.55”

ELEVATION: 322’

UNIT: N/A

SURVEY: 1,329’± FNEL & 2,002’± FSEL

Vertical Target/Penetration Point (VT/PP)

N: 364018 E: 2358961

UNIT: 257’ FNLW & 980’ FNEL

SURVEY: 2,346’± FSEL & 3,190’± FNEL

First Take Point (FTP)

N: 364018 E: 2358961

UNIT: 257’ FNLW & 980’ FNEL

Last Take Point/PROPOSED BOTTOM HOLE LOCATION (LTP/PBHL)

N: 354396 E: 2372123

UNIT: 178’ FNEL & 2,732’ FSWL CORNER

SURVEY: 13,274’± FNLW & 19,505’± FEL

Path Information
(PSHL)
S 53°52’ W ~ 1,895’
(VT/PP/FTP)
S 46°14’ E ~ 6,269’
S 41°43’ E ~ 461’
S 37°06’ E ~ 781’
S 49°01’ E ~ 1,184’
S 60°57’ E ~ 3,567’
S 64°48’ E ~ 4,249’
(LTP/PBHL)

MARATHON OIL EF, LLC

HEMBY UNIT A ~ 322.18 ACRES; BLACKJACK UNIT E ~ 403.49 ACRES AND LEVI-PULLIN UNIT ~ 664.77 ACRES

I. TICKNOR, ABSTRACT 278; A.J. BURRIS, ABSTRACT 42 AND C. MARTINEZ, ABSTRACT 6
KARNES COUNTY, TEXAS

FIELD DATE	BOOK	PAGE(s)	Revision	Date	DRAWN BY:
10-27-25	SA-217	19	1	02-06-26	R.A.R./B.P.S.
11-06-25	SA-216	42	2	02-13-26	CHECKED BY: J.S.
			3	02-27-26	JOB No. 27079.1-25
			SHEET 2 OF 3		QUAD NAME: KENEDY

HOWLAND

ENGINEERING AND SURVEYING CO.

TBPE Firm Registration No. F-4097 TBPLS Firm Registration No. 100464-00 TBPLS Firm Registration No. 10194361

7615 N. Bartlett Avenue, Laredo, TX. 78041 P. 866.722.4411

4902 Sinclair Road, San Antonio, TX. 78222 P. 210.648.1600

www.howlandcompanies.com

WARNING: THIS PLAT MAY NOT SHOW ALL CROSSINGS OF PIPELINES OR CABLES. USE THE TEXAS ONE CALL SYSTEM BEFORE EXCAVATION ON THIS PROPERTY.

This Plat represents a WELL LOCATION survey prepared from an on the ground survey, deeds and other available information. This is not intended to be a boundary survey, but for the sole purpose of filing with the Texas Railroad Commission for a drilling permit. This plat is for the exclusive use of MARATHON OIL EF, LLC

James Opelander

R.P.L.S. No. 5726 –TEXAS

03-02-2026

CURRENT DATE:

LEVI PULLIN UNIT ~ ACREAGE TABLE

ACREAGE INFORMATION		ACREAGE INFORMATION		ACREAGE INFORMATION		ACREAGE INFORMATION		ACREAGE INFORMATION		ACREAGE INFORMATION		ACREAGE INFORMATION		ACREAGE INFORMATION		ACREAGE INFORMATION		ACREAGE INFORMATION		ACREAGE INFORMATION	
Tract No.	Acrees Assigned	Tract No.	Acrees Assigned	Tract No.	Acrees Assigned	Tract No.	Acrees Assigned	Tract No.	Acrees Assigned	Tract No.	Acrees Assigned	Tract No.	Acrees Assigned	Tract No.	Acrees Assigned	Tract No.	Acrees Assigned	Tract No.	Acrees Assigned	Tract No.	Acrees Assigned
(1)	13.92 AC.	(57)	1.88 AC.	(113)	0.26 AC.	(176)	0.43 AC.	(232)	0.08 AC.	(291)	3.43 AC.	(352)	0.30 AC.	(428)	0.26 AC.	(485)	0.63 AC.	(545)	0.20 AC.	(602)	0.22 AC.
(2)	1.02 AC.	(58)	0.72 AC.	(114)	0.35 AC.	(177)	0.54 AC.	(233)	0.29 AC.	(292)	15.46 AC.	(353)	0.39 AC.	(429)	0.63 AC.	(486)	0.40 AC.	(546)	0.49 AC.	(603)	0.35 AC.
(3)	1.04 AC.	(59)	0.46 AC.	(115)	0.51 AC.	(178)	0.12 AC.	(234)	0.37 AC.	(293)	0.47 AC.	(354)	0.30 AC.	(430)	0.53 AC.	(487)	0.42 AC.	(547)	0.10 AC.	(604)	0.37 AC.
(4)	1.21 AC.	(60)	0.87 AC.	(116)	0.21 AC.	(179)	0.29 AC.	(235)	0.70 AC.	(294)	0.60 AC.	(355)	0.30 AC.	(431)	0.40 AC.	(488)	0.53 AC.	(548)	0.39 AC.	(605)	0.32 AC.
(5)	0.40 AC.	(61)	3.18 AC.	(117)	0.21 AC.	(180)	0.53 AC.	(236)	1.92 AC.	(295)	0.42 AC.	(356)	0.30 AC.	(433)	0.32 AC.	(490)	0.54 AC.	(549)	0.37 AC.	(606)	1.00 AC.
(6)	0.83 AC.	(62)	1.47 AC.	(118)	0.54 AC.	(181)	0.15 AC.	(237)	0.62 AC.	(296)	0.43 AC.	(357)	0.59 AC.	(434)	0.12 AC.	(491)	0.41 AC.	(550)	0.27 AC.	(607)	0.79 AC.
(7)	1.88 AC.	(63)	0.55 AC.	(119)	0.64 AC.	(182)	0.38 AC.	(238)	0.23 AC.	(297)	0.74 AC.	(358)	0.39 AC.	(435)	0.12 AC.	(492)	0.21 AC.	(551)	0.68 AC.	(608)	0.13 AC.
(8)	0.65 AC.	(64)	0.30 AC.	(120)	0.41 AC.	(183)	0.41 AC.	(239)	0.45 AC.	(298)	0.70 AC.	(359)	0.50 AC.	(436)	0.12 AC.	(493)	0.33 AC.	(552)	0.21 AC.	(609)	0.15 AC.
(9)	0.86 AC.	(65)	0.30 AC.	(121)	0.23 AC.	(184)	0.39 AC.	(240)	0.23 AC.	(299)	2.22 AC.	(360)	0.37 AC.	(437)	0.57 AC.	(494)	0.54 AC.	(553)	0.33 AC.	(610)	0.29 AC.
(10)	0.94 AC.	(66)	0.30 AC.	(122)	0.78 AC.	(185)	0.15 AC.	(241)	0.32 AC.	(300)	0.57 AC.	(361)	0.60 AC.	(438)	0.30 AC.	(496)	0.41 AC.	(554)	0.95 AC.	(611)	0.44 AC.
(11)	0.23 AC.	(67)	0.50 AC.	(123)	0.25 AC.	(186)	2.99 AC.	(242)	0.27 AC.	(301)	0.25 AC.	(362)	0.46 AC.	(439)	0.33 AC.	(497)	0.54 AC.	(556)	0.54 AC.	(612)	0.46 AC.
(12)	4.21 AC.	(68)	0.83 AC.	(124)	0.17 AC.	(187)	0.36 AC.	(243)	0.27 AC.	(302)	0.82 AC.	(363)	0.22 AC.	(440)	0.46 AC.	(498)	0.61 AC.	(557)	0.57 AC.	(613)	0.21 AC.
(13)	22.01 AC.	(69)	0.51 AC.	(125)	0.54 AC.	(188)	0.26 AC.	(244)	0.27 AC.	(303)	0.50 AC.	(364)	0.54 AC.	(441)	0.42 AC.	(499)	0.25 AC.	(558)	0.44 AC.	(614)	0.58 AC.
(14)	5.94 AC.	(70)	0.77 AC.	(126)	1.11 AC.	(189)	0.29 AC.	(245)	0.27 AC.	(304)	0.63 AC.	(365)	0.41 AC.	(442)	0.35 AC.	(500)	0.61 AC.	(559)	0.57 AC.	(615)	0.23 AC.
(15)	1.37 AC.	(71)	0.56 AC.	(127)	1.10 AC.	(190)	0.38 AC.	(246)	0.22 AC.	(305)	0.62 AC.	(366)	0.31 AC.	(443)	0.23 AC.	(501)	1.70 AC.	(560)	0.57 AC.	(616)	0.22 AC.
(16)	13.75 AC.	(72)	0.45 AC.	(128)	0.28 AC.	(191)	0.47 AC.	(247)	0.19 AC.	(306)	0.64 AC.	(367)	0.30 AC.	(444)	0.27 AC.	(502)	1.39 AC.	(561)	0.44 AC.	(617)	0.60 AC.
(17)	1.16 AC.	(73)	0.44 AC.	(129)	0.52 AC.	(192)	0.43 AC.	(248)	0.75 AC.	(307)	0.22 AC.	(368)	0.30 AC.	(445)	0.42 AC.	(503)	0.53 AC.	(562)	0.57 AC.	(618)	0.35 AC.
(18)	1.66 AC.	(74)	0.27 AC.	(130)	15.79 AC.	(193)	0.37 AC.	(249)	0.38 AC.	(308)	0.11 AC.	(369)	0.30 AC.	(446)	0.30 AC.	(504)	0.20 AC.	(563)	0.41 AC.	(619)	0.16 AC.
(19)	2.02 AC.	(75)	0.35 AC.	(131)	0.63 AC.	(194)	0.32 AC.	(250)	0.43 AC.	(309)	0.28 AC.	(390)	0.30 AC.	(447)	0.54 AC.	(505)	0.20 AC.	(564)	2.21 AC.	(620)	0.33 AC.
(20)	7.03 AC.	(76)	0.23 AC.	(132)	0.60 AC.	(195)	0.45 AC.	(251)	0.68 AC.	(311)	0.62 AC.	(391)	0.40 AC.	(448)	0.23 AC.	(506)	0.20 AC.	(565)	0.14 AC.	(621)	0.14 AC.
(21)	0.52 AC.	(77)	0.23 AC.	(133)	0.51 AC.	(196)	0.45 AC.	(252)	0.23 AC.	(312)	0.10 AC.	(392)	0.30 AC.	(449)	0.23 AC.	(507)	0.32 AC.	(566)	35.19 AC.	(622)	0.14 AC.
(22)	1.36 AC.	(78)	0.23 AC.	(134)	0.70 AC.	(197)	0.23 AC.	(253)	1.44 AC.	(313)	0.57 AC.	(393)	0.30 AC.	(450)	0.48 AC.	(508)	0.53 AC.	(567)	0.20 AC.	(623)	0.14 AC.
(23)	0.20 AC.	(79)	0.31 AC.	(135)	0.54 AC.	(198)	0.23 AC.	(254)	0.41 AC.	(314)	0.21 AC.	(394)	0.30 AC.	(451)	0.48 AC.	(509)	0.20 AC.	(568)	0.42 AC.	(624)	0.29 AC.
(24)	0.26 AC.	(80)	0.38 AC.	(136)	0.33 AC.	(199)	0.34 AC.	(255)	0.31 AC.	(315)	0.12 AC.	(395)	0.42 AC.	(452)	0.27 AC.	(510)	0.20 AC.	(569)	0.25 AC.	(625)	0.29 AC.
(25)	1.12 AC.	(81)	0.34 AC.	(137)	1.72 AC.	(200)	0.30 AC.	(256)	0.31 AC.	(316)	0.30 AC.	(396)	0.74 AC.	(453)	0.23 AC.	(511)	0.20 AC.	(570)	0.80 AC.	(626)	0.49 AC.
(26)	0.53 AC.	(82)	1.02 AC.	(138)	0.50 AC.	(201)	0.44 AC.	(257)	0.33 AC.	(317)	0.04 AC.	(397)	0.32 AC.	(454)	0.23 AC.	(512)	0.32 AC.	(571)	0.36 AC.	(627)	0.20 AC.
(27)	0.26 AC.	(83)	0.43 AC.	(139)	0.36 AC.	(202)	1.58 AC.	(258)	0.33 AC.	(318)	1.66 AC.	(398)	0.32 AC.	(455)	0.27 AC.	(513)	1.49 AC.	(572)	0.65 AC.	(628)	0.20 AC.
(28)	0.26 AC.	(84)	0.25 AC.	(140)	0.32 AC.	(203)	0.15 AC.	(259)	0.35 AC.	(320)	0.07 AC.	(399)	0.31 AC.	(456)	0.48 AC.	(514)	0.31 AC.	(573)	0.29 AC.	(629)	0.20 AC.
(29)	1.01 AC.	(85)	0.22 AC.	(141)	0.31 AC.	(204)	2.22 AC.	(260)	0.36 AC.	(321)	0.01 AC.	(400)	0.31 AC.	(457)	0.23 AC.	(515)	0.22 AC.	(574)	0.14 AC.	(630)	0.40 AC.
(30)	1.49 AC.	(86)	0.18 AC.	(142)	0.32 AC.	(205)	0.29 AC.	(261)	0.30 AC.	(322)	0.02 AC.	(401)	0.41 AC.	(458)	0.23 AC.	(516)	0.20 AC.	(575)	0.12 AC.	(631)	0.31 AC.
(31)	0.61 AC.	(87)	0.35 AC.	(143)	0.20 AC.	(206)	0.29 AC.	(262)	0.33 AC.	(323)	0.01 AC.	(402)	1.32 AC.	(459)	0.51 AC.	(517)	0.20 AC.	(576)	0.45 AC.	(632)	0.47 AC.
(32)	1.93 AC.	(88)	0.07 AC.	(144)	0.36 AC.	(207)	0.46 AC.	(263)	0.30 AC.	(324)	0.14 AC.	(403)	0.32 AC.	(460)	0.29 AC.	(518)	0.12 AC.	(577)	0.19 AC.	(633)	0.17 AC.
(33)	0.13 AC.	(89)	0.22 AC.	(145)	0.40 AC.	(208)	0.83 AC.	(266)	0.44 AC.	(326)	0.01 AC.	(404)	0.31 AC.	(461)	0.12 AC.	(519)	0.09 AC.	(578)	0.48 AC.	(634)	0.15 AC.
(34)	0.36 AC.	(90)	0.48 AC.	(146)	0.18 AC.	(209)	0.23 AC.	(267)	0.59 AC.	(327)	0.94 AC.	(405)	0.31 AC.	(462)	0.23 AC.	(520)	0.03 AC.	(579)	0.19 AC.	(635)	0.30 AC.
(35)	0.33 AC.	(91)	0.38 AC.	(147)	0.04 AC.	(210)	0.23 AC.	(268)	0.22 AC.	(328)	0.18 AC.	(406)	0.31 AC.	(463)	0.17 AC.	(521)	0.30 AC.	(580)	0.21 AC.	(636)	0.15 AC.
(36)	0.70 AC.	(92)	0.25 AC.	(148)	0.23 AC.	(211)	0.23 AC.	(269)	0.21 AC.	(351)	0.32 AC.	(407)	0.31 AC.	(464)	0.15 AC.	(522)	0.27 AC.	(581)	0.23 AC.	(637)	0.29 AC.
(37)	3.81 AC.	(93)	0.38 AC.	(156)	1.12 AC.	(212)	1.11 AC.	(270)	0.54 AC.	(352)	0.40 AC.	(408)	0.34 AC.	(465)	0.45 AC.	(523)	0.33 AC.	(582)	0.24 AC.	(638)	0.43 AC.
(38)	1.95 AC.	(94)	0.25 AC.	(157)	0.74 AC.	(213)	2.50 AC.	(271)	0.33 AC.	(353)	0.30 AC.	(409)	0.34 AC.	(466)	0.41 AC.	(524)	0.21 AC.	(583)	0.26 AC.	(639)	0.27 AC.
(39)	1.95 AC.	(95)	0.38 AC.	(158)	0.37 AC.	(214)	0.99 AC.	(272)	0.21 AC.	(354)	0.30 AC.	(410)	0.34 AC.	(467)	0.34 AC.	(525)	0.21 AC.	(584)	0.42 AC.	(640)	0.27 AC.
(40)	2.58 AC.	(96)	0.36 AC.	(159)	0.16 AC.	(215)	0.64 AC.	(273)	0.36 AC.	(355)	0.31 AC.	(411)	0.34 AC.	(468)	0.16 AC.	(526)	0.41 AC.	(585)	0.44 AC.	(641)	0.27 AC.
(41)	1.29 AC.	(97)	0.13 AC.	(160)	0.74 AC.	(216)	0.24 AC.	(274)	0.27 AC.	(356)	0.31 AC.	(412)	0.46 AC.	(469)	0.48 AC.	(527)	0.32 AC.	(586)	0.87 AC.	(642)	0.13 AC.
(42)	1.70 AC.	(98)	0.21 AC.	(161)	0.95 AC.	(217)	0.39 AC.	(275)	0.23 AC.	(357)	0.73 AC.	(413)	0.40 AC.	(470)	0.72 AC.	(530)	0.34 AC.	(587)	0.24 AC.	(643)	0.35 AC.
(43)	0.23 AC.	(99)	0.21 AC.	(162)	0.22 AC.	(218)	0.35 AC.	(276)	0.25 AC.	(358)	0.74 AC.	(414)	0.27 AC.	(471)	0.23 AC.	(531)	0.21 AC.	(588)	0.32 AC.	(644)	0.17 AC.
(44)	1.47 AC.	(100)	0.21 AC.	(163)	0.31 AC.	(219)	0.72 AC.	(277)	0.23 AC.	(359)	0.31 AC.	(415)	0.27 AC.	(472)	0.21 AC.	(532)	0.21 AC.	(589)	1.07 AC.	(645)	0.17 AC.
(45)	0.69 AC.	(101)	0.20 AC.	(164)	0.53 AC.	(220)	0.40 AC.	(278)	0.36 AC.	(360)	0.86 AC.	(416)	0.27 AC.	(473)	0.56 AC.	(533)	0.21 AC.	(590)	2.40 AC.	(646)	0.35 AC.
(46)	0.46 AC.	(102)	0.40 AC.	(165)	0.53 AC.	(221)	0.27 AC.	(279)	0.23 AC.	(361)	0.41 AC.	(417)	0.27 AC.	(474)	0.46 AC.	(534)	0.53 AC.	(591)	0.22 AC.	(647)	0.18 AC.
(47)	0.23 AC.	(103)	0.29 AC.	(166)	0.39 AC.	(222)	0.27 AC.	(280)	0.52 AC.	(362)	0.39 AC.	(418)	0.27 AC.	(475)	0.42 AC.	(535)	0.44 AC.	(592)	0.23 AC.	(648)	0.35 AC.
(48)	0.96 AC.	(104)	0.40 AC.	(167)	0.30 AC.	(223)	0.35 AC.	(281)	0.17 AC.	(363)	0.70 AC.	(419)	0.28 AC.	(476)	0.04 AC.	(536)	0.30 AC.	(593)	0.24 AC.	(649)	0.17 AC.
(49)	0.25 AC.	(105)	0.40 AC.	(168)	0.12 AC.	(224)	0.83 AC.	(282)	0.37 AC.	(364)	0.69 AC.	(420)	0.55 AC.	(477)	0.45 AC.	(537)	0.49 AC.	(594)	0.21 AC.	(650)	0.17 AC.
(50)	0.27 AC.	(106)	0.33 AC.	(169)	0.57 AC.	(225)	0.21 AC.	(283)	0.68 AC.	(365)	0.30 AC.	(421)	0.28 AC.	(478)	0.23 AC.	(538)	0.34 AC.	(595)	0.16 AC.	(651)	0.17 AC.
(51)	0.35 AC.	(107)	0.30 AC.	(170)	0.31 AC.	(226)	0.54 AC.	(284)	0.31 AC.	(366)	0.30 AC.	(422)	0.30 AC.	(479)	0.45 AC.	(539)	0.21 AC.	(596)	0.43 AC.	(652)	0.18 AC.
(52)	0.37 AC.	(108)	0.16 AC.	(171)	0.22 AC.	(227)	0.25 AC.	(285)	0.30 AC.	(367)	0.60 AC.	(423)	0.25 AC.	(480)	0.22 AC.	(540)	0.42 AC.	(597)	0.53 AC.	(653)	0.35 AC.
(53)	0.35 AC.	(109)	0.14 AC.	(172)	0.54 AC.	(228)	0.27 AC.	(287)	0.64 AC.	(368)	0.41 AC.	(424)	0.52 AC.	(481)	0.22 AC.	(541)	0.56 AC.	(598)	0.61 AC.	(654)	0.17 AC.
(54)	0.71 AC.	(110)	0.21 AC.	(173)	0.20 AC.	(229)	0.70 AC.	(288)	0.40 AC.	(369)	0.46 AC.	(425)	0.26 AC.	(482)	0.22 AC.	(542)	0.33 AC.	(599)	0.43 AC.	(655)	0.17 AC.
(55)	0.69 AC.	(111)	0.21 AC.	(174)	0.20 AC.	(230)	0.51 AC.	(289)	0.27 AC.	(370)	0.49 AC.	(426)	0.23 AC.	(483)	0.44 AC.	(543)	0.20 AC.	(600)	0.64 AC.	(656)	0.36 AC.
(56)	0.49 AC.	(112)	0.54 AC.	(175)	0.52 AC.	(231)	0.67 AC.	(290)	154.40 AC.	(371)	0.42 AC.	(427)	0.26 AC.	(484)	0.22 AC.	(544)	0.20 AC.	(601)	0.21 AC.	(657)	0.38 AC.
TOTAL: 664.77 ACRES																				(730)	0.15 AC.

HEMB-BLACK-LEVI SA A 1 (LOCATION)

STATE PLANE COORDINATES – TEXAS SOUTH CENTRAL ZONE – NAD 1927:

PROPOSED SURFACE HOLE LOCATION (PSHL)

N: 365135 E: 2360491

GEOGRAPHIC NAD 27: Lat.: 28° 49’ 58.08” Long.: 97° 52’ 26.55”

GEOGRAPHIC NAD 83: Lat.: 28° 49’ 59.01” Long.: 97° 52’ 27.55”

ELEVATION: 322’

UNIT